

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope, with sufficient postage, addressed to: Commissioner for Patents, Washington, D.C. 20231, on

10-22-02

Date of Deposit

J. Matthew Buchanan, Reg. No. 47,459

Name of Applicant, Assignee or Registered Representative

Signature

Date of Signature

ctober 2002

Our Case No.: 10707-14

TECH CENTER 1000/2900

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

22

Schall, et al.

Serial No.: 10/001,221

Filing Date: October 30, 2001

For:

METHODS AND COMPOSITIONS

FOR INDUCING AN IMMUNE

RESPONSE

Examiner: Not Assigned

Group Art Unit No.: 1614

## INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents Washington, D.C. 20231

Dear Sir:

In compliance with the duty of disclosure under 37 C.F.R. § 1.56, it is respectfully requested that this Information Disclosure Statement be entered and the documents listed below and on the attached Form PTO-1449 be considered by the Examiner and

made of record. Copies of the listed documents required by 37 C.F.R. § 1.98(2)(2) are convenience of the Examiner.

## **U.S. Patent Documents**

DOCUMENT NUMBER	DATE	NAME	
5,284,753	2/1994	Goodwin, Jr.	
5,994,126	11/1999	Steinman et al.	

## Other Art

Baggiolini et al., "Chemokines and leukocyte traffic", Nature, Vol. 392, 1998, pp. 565-568 Baures, "Design, Synthesis, and Dopamine Receptor Modulating Activity of Diketopiperazine Peptidomimetics of L-Prolyl-L-leucylglycinamide", J. Med. Chem., Vol. 40, 1997, pp. 3594-3600 Beaulieu, "Potent HIV Protease Inhibitors Containing a Novel (Hydroxyethyl)amide isostere" J. Med. Chem., Vol. 40, 1997, pp. 2164-2176

Bluel et al., "A highly efficacious lymphocyte chemoattractant, stromal cell-derived factor 1 (SDF-1)", J. Exp. Med., Vol. 184, No. 3, 1996, pp. 1101-1109

Bozarth et al., "An improved method for the quantitation of cellular migration: Role of alpha-vbeta-3 integrin in endothelial and smooth muscle cell migration", Meth. Cell Science, Vol. 19, 1997, pp. 179-187

Brady, S.F. et al. "Discovery and Development of the Novel Potent Orally Active Thrombin Inhibitor N-(9-Hydroxy-9 fluorenecarboxy)prolyl trans-4-Aminocyclohexylmethyl amide (L-372,460): Coapplication of structure-based design and rapid multiple analogue synthesis on solid support", J. Med. Chem., Vol. 41, 1998, pp. 401-406

Campbell, J. et al., "6-C-kine (SLC), a Lymphocyte adhesion-triggering chemokine expressed by high endothelium, is an agonist for the MIP-3beta receptor CCR7", J. Cell Biol., Vol. 141, 1998, pp. 1053

Cella, M. et al., "Maturation, activation, and protection of dentritic cells induced by doublestranded RNA", J. Exp. Med., Vol. 189, 1999, pp. 821-829

Chan, V. et al., "Secondary lymphoid-tissue chemokine (SLC) is chemotactic for mature dendritic cells", Blood, Vol. 93, 1999, pp. 3610

Davatelis et al., "Cloning and characterization of a cDNA for murine macrophage inflammatory protein (MIP), a novel monkine with inflammatory and chemokinetic properties", J. Exp. Med., Vol. 167, No. 6, 1988, pp. 1939-1944

Dieu, M. et al., "Selective recruitment of immature and mature dendritic cells by distinct chemokines expressed in different anatomic sites", J. Exp. Med., Vol. 188, 1998, pp. 373

Farber et al., "A macrophage mRNA selectively induced by gamma-interferon encodes a member of the platelt factor 4 family of cytokines", Proc. Natl. Acad. Sci. USA, Vol. 87, No. 14, <u>1</u>990, pp. 5238-5242

Forssmann et al., "CKbeta8, a novel CC chemokine that predominantly acts on monocytes", FEBS Lett., Vol. 408, No. 2, 1997, pp. 211-216

Gunn et al., "A B-cell-homing chemokine made in lymphoid follicles activates Burkitt's lymphoma receptor-1", Nature, Vol. 391, No. 6669, 1998, pp. 799-803

Hedrick et al., "Identification and characterization of a novel beta chemokine containing six conserved cysteines", J. Immunol., Vol. 159, No. 4, 1997, pp. 1589-1593

CENTER 1600/2900

Hieshima et al., "Molecular cloning of a novel human CC chemokine liver and activation-regulated chemokine (LARC) expressed in liver. Chemotactic activity for lymphocytes and gene localization on chromosome 2", *J. Biol. Chem.*, Vol. 272, No. 9, 1997, pp. 5846-5853 Irving et al., "Two inflammatory mediator cytokine genes are closely linked and variably amplified on chromosome 17q", *Nuc. Acid Res.*, Vol. 18, 1990, pp. 3261-3270

Keller, H., "Chemotaxis and its significance for leucocyte accumulation", Agents Actions, Vol. 2 1972, pp. 161-169

Kellerman S. et al., "The CC chemokine receptor-7 ligands 6Ckine and macrophage inflammatory protein-3beta are potent chemoattractants for in vitro- and in vivo-derived dendritic cells", *J. Immunol*, Vol. 162, 1999, pp. 3859

Lipes et al., "Identification, cloning, and characterization of an immune activation gene", *Proc. Natl. Acad. Sci. USA*, Vol. 85, 1998, pp. 9704

MacDonald et al., "Spliced mRNA encoding the murine cytomegalovirus chemokine homolog predicts a beta chemokine of novel structure", *J. Virol.*, Vol. 73, No. 5, 1999, pp. 3682-3691 Macphee et al., "Identification of a truncated form of the CC chemokine CK beta-8

demonstrating greatly enhanced biological activity", *J Immunol.*, Vol. 161 No. 11, 1998, pp. 6273-6279

Misicka, A. et al., "Synthesis and biological properties of beta-MePhe<sup>3</sup> analogues of deltorphin I and dermenkephalin: influence of biased  $\chi^1$  of the Phe<sup>3</sup> residues on peptide recognition for  $\delta$ -opioid receptors", *J. Pept. Res.*, Vol. 50, 1997, pp. 48-54

Nagasawa et al., "Molecular cloning and structure of a pre-B-cell growth-stimulating factor", Proc. Natl. Acad. Sci. USA, Vol. 91, No. 6, 1994, pp. 2305-2309

Nicholas et al., "Kaposi's sarcoma-associated human herpesvirus-8 encodes homologues of macrophage inflammatory protein-1 and interleukin-6", *Nat. Med.*, Vol. 3, No. 3, 1997, pp. 287-292

Obaru et al., "A cDNA clone used to study mRNA inducible in human tonsillar lymphocytes by a tumor promoter", *J. Biochem*, Vol. 99, No.3, 1986, pp. 885-894

Orlofsky et al., "Novel expression pattern of a new member of the MIP family of cytokine-like genes", Cell Regulation, Vol. 2, 1991, pp. 403-412

Poltorak et al., "MIP-1 gamma: a molecular cloning, expression, and biological activities of a novel CC chemokine that is constitutively secreted in vivo", *Inflamm*, Vol. 45, No. 3, 1995, pp. 207-219

Proudfoot, et al., "Extension of recombinant human RANTES by the retention of the initiating methionine produces a potent antagonist", *J. Biol. Chem.*, Vol. 271, No. 5, 1996, pp. 2599-2603

Rothenberg et al., "Murine eotaxin: an eosinophil chemoattractant inducible in endothelial cells and in interlukin 4-induced tumor suppression", *Proc. Natl. Acad. Sci. USA*, Vol. 92, No. 19, 1995, pp. 8960-8964

Saederup et al., "Cytomegalovirus-encoded beta chemokine promotes monocyte-associated viremia in the host", *Proc. Natl. Acad. Sci. USA*, Vol. 96, No. 19, 1999, pp. 10881-10886

Sarafi et al., "Murine monocyte chemoattractant protein (MCP)-5: a novel CC chemokine that is a structural and functional homologue of human MCP-1, *J. Exp. Med.*, Vol. 185, No. 1, 1997, pp. 99-109

Schall et al., "A human T cell-specific molecule is a member of a new gene family", *J. Immunol.*, Vol. 141, 1988, pp. 1018

Schall et al., "Molecular cloning and expression of the murine RANTES cytokine: structural and functional conservation between mouse and man", *Eur. J. Immunol.*, Vol. 22, No. 6, 1992, pp. 1477-1481

Schaniel et al., "Activated Murine B Lymphocytes and Dendritic Cells Produce a Novel CC Chemokine which Acts Selectively on Activated T Cells", *J. Exp. Med.*, Vol. 188, No. 3, 1998, pp. 451-463

Schulz-Kappe et al., "HCC-1, a novel chemokine from human plasma", *J. Exp. Med.*, Vol. 183, No. 1, 1996, pp. 295-299

Sherry et al., "Resolution of the two components of macrophage inflammatory protein 1, and cloning and characterization of on of those components, macrophage inflammatory protein 1 beta", *J. Exp. Med.*, Vol. 168, No. 6, 1988, pp. 2251-2259

Tashiro et al., "Signal sequence trap: a cloning strategy for secreted proteins and type I membrane proteins", *Science*, Vol. 261, No. 5121, 1993, pp. 600-603

Tekamp-Olson et al., "Cloning and characterization of cDNAs for murine macrophage inflammatory protein 2 and its human homologues", *J. Exp. Med.*, Vol. 172, No. 3, 1990, pp. 911-919

Thirion et al., "Mouse macrophage derived monocyte chemotactic protein-3: cDNA cloning and identification as MARC/FIC", *Biochem. Biophys. Res. Commun.*, Vol. 201, No. 2, 1994, pp. 493-499

Ugoccioni et al., "Monocyte chemotactic protein 4 (MCP-4), a novel structural and functional analogue of MCP-3 and eotaxin", *J. Exp. Med.*, Vol. 183, 1996, pp. 2379

Van Damme et al., "Production and identification of natural monocyte chemotactic protein from virally infected murine fibroblasts. Relationship with the product of the mouse competence (JE) gene", *Eur. J. Biochem.*, Vol. 199, No. 1, 1999, pp. 223-229

Van Damme et al., "Structural and functional identification of two humans, tumor-derived monocyte chemotactic proteins (MCP-2 and MCP-3) belonging to the chemokine family", *J. Exp. Med.*, Vol. 176., No. 1, 1992, pp. 59-65

Verdijk, R. et al., "Polyriboinosinic polyribocytidylic Acid (Poly(I:C)) induces stable maturation of functionally active human dendritic cells", *J. Immunol.*, Vol. 1, 1999, pp. 57-61

Vicari et al., "TECK: a novel CC chemokine specifically expressed by thymic dendritic cells and potentially involved in T cell development", *Immunity*, Vol. 7, No. 2, 1997, pp. 291-301

Wang et al., "Molecular cloning and functional characterization of human MIP-1 delta, a new C-C chemokine related to mouse CCF-18 and C10", *J. Clin. Immumol.*, Vol. 18, No. 3, 1998, pp. 214

Ward S. et al., "Chemokines and T lymphocytes: more than an attraction", *Immunity*, Vol 9, 1998, pp. 1-11

Yoshida et al., "Molecular cloning of a novel human CC chemokine EBI1-ligand chemokine that is specific functional ligand for EBI1, CCR7", *J. Biol. Chem.*, Vol. 272, No. 21, 1997, pp. 13803-13809

Youn et al., "Characterization of CKbeta8 and CKbeta8-1: two alternatively spliced forms of human beta-chemokine, chemattractants for neutrophils, monocytes, and lymphocytes, and potent agonists at CC chemokine receptor 1", *Blood*, Vol. 91, No. 9, 1998, pp. 3118-3126

Youn et al., "Molecular cloning of leukotactin-1: a novel human beta-chemokine, a chemoattractant for neutrophils, monocytes, and lymphocytes, and a potent agonist at CC chemokine receptors 1 and 3", *J. Immumol.*, Vol. 159, No. 11, 1997, pp. 5201-5205

Zhang, Y, et al., "Synthesis, biological activity, and conformational analysis of peptidomimetic analogues of the Saccharomyces cerevisiae alpha-factor tridecapeptide", *Biochemistry*, Vol. 37, 1998, pp. 12465-12476

In accordance with 37 C.F.R. § 1.97(g),(h), this Information Disclosure Statement is not to be construed as a representation that a search has been made and is not to be construed to be an admission that the information cited is, or is considered to be, material to patentability as defined in 37 C.F.R. § 1.56(b).

This Information Disclosure Statement is being filed prior to the receipt of the first Official Action reflecting an examination on the merits and hence is believed to be timely filed in accordance with 37 C.F.R. § 1.97(b). No fees are believed to be due in connection with filing of this Information Disclosure Statement, however, should any fees under 37 C.F.R. §§ 1.16 to 1.21 be deemed necessary for any reason relating to these material, the Commissioner is hereby authorized to deduct said fees from Brinks Hofer Gilson & Lione Deposit Account No. 23-1925. A duplicate copy of this document is enclosed.

Applicants respectfully request that the listed documents be made of record in the present case.

Respectfully submitted,

J. Matthew Buchanan Registration No. 47,459

Attorney for Applicants

BRINKS HOFER GILSON & LIONE P.O. Box 10395 Chicago, IL 60610 (312) 321-4200

TECH CENTER 1600/2900

FORM PTO-1449 TRADEMARK	SERIAL NO.	CASE NO.
	10/001,221	10709/14
LIST OF PATENTS AND PUBLICATIONS FOR	FILING DATE	GROUP ART UNIT
APPLICANT'S INFORMATION DISCLOSURE STATEMENT	October 30, 2001	1614
(use several sheets if necessary)	APPLICANT(S): Schall et al	TTI

REFERENCE DESIGNATION **U.S. PATENT DOCUMENTS EXAMINER DOCUMENT** CLASS/ **FILING** INITIAL **NUMBER DATE** NAME **SUBCLASS** DATE **A1** 5,284,753 2/1994 Goodwin, Jr. A2 5,994,126

11/1999

FOREIGN PATENT DOCUMENTS

Steinman et al.

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	COUNTRY	CLASS/ SUBCLASS	TRANSL YES	ATION NO

EXAMINER		
INITIAL		OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)
	A3	Baggiolini et al., "Chemokines and leukocyte traffic", Nature, Vol. 392, 1998, pp. 565-568
	A4	Baures, "Design, Synthesis, and Dopamine Receptor Modulating Activity of Diketopiperazine Peptidomimetics of L-Prolyl-L-leucylglycinamide", <i>J. Med. Chem.</i> , Vol. 40, 1997, pp. 3594-3600
	A5	Beaulieu, "Potent HIV Protease Inhibitors Containing a Novel (Hydroxyethyl)amide isostere"  J. Med. Chem., Vol. 40, 1997, pp. 2164-2176
	A6	Bluel et al., "A highly efficacious lymphocyte chemoattractant, stromal cell-derived factor 1 (SDF-1)", J. Exp. Med., Vol. 184, No. 3, 1996, pp. 1101-1109
	A7	Bozarth et al., "An improved method for the quantitation of cellular migration: Role of alpha-v-beta-3 integrin in endothelial and smooth muscle cell migration", <i>Meth. Cell Science</i> , Vol. 19, 1997, pp. 179-187
	A8	Brady, S.F. et al. "Discovery and Development of the Novel Potent Orally Active Thrombin Inhibitor N-(9-Hydroxy-9 fluorenecarboxy)prolyl trans-4-Aminocyclohexylmethyl amide (L-372,460): Coapplication of structure-based design and rapid multiple analogue synthesis on solid support", <i>J. Med. Chem.</i> , Vol. 41, 1998, pp. 401-406
	A9	Campbell, J. et al., "6-C-kine (SLC), a Lymphocyte adhesion-triggering chemokine expressed by high endothelium, is an agonist for the MIP-3beta receptor CCR7", <i>J. Cell Biol.</i> , Vol. 141, 1998, pp. 1053
	A10	Cella, M. et al., "Maturation, activation, and protection of dentritic cells induced by double-stranded RNA", <i>J. Exp. Med.</i> , Vol. 189, 1999, pp. 821-829
	A11	Chan, V. et al., "Secondary lymphoid-tissue chemokine (SLC) is chemotactic for mature dendritic cells", <i>Blood</i> , Vol. 93, 1999, pp. 3610
	A12	Davatelis et al., "Cloning and characterization of a cDNA for murine macrophage inflammatory protein (MIP), a novel monkine with inflammatory and chemokinetic properties", <i>J. Exp. Med.</i> , Vol. 167, No. 6, 1988, pp. 1939-1944

EXAMINER	DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

OCT 2 5 2002

EXAMINER		
INITIAL		OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)
	A13	OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)  Dieu, M. et al., "Selective recruitment of immature and mature dendritic cells by distinct chemokines expressed in different anatomic sites", <i>J. Exp. Med.</i> , Vol. 188, 1998, pp. 373
	A14	member of the platelt factor 4 family of cytokines", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 87, No. 14, 1990, pp. 5238-5242
	A15	Forssmann et al., "CKbeta8, a novel CC chemokine that predominantly acts on monocytes", FEBS Lett., Vol. 408, No. 2, 1997, pp. 211-216
	A16	Gunn et al., "A B-cell-homing chemokine made in lymphoid follicles activates Burkitt's lymphoma receptor-1", <i>Nature</i> , Vol. 391, No. 6669, 1998, pp. 799-803
	A17	Hedrick et al., "Identification and characterization of a novel beta chemokine containing six conserved cysteines", <i>J. Immunol.</i> , Vol. 159, No. 4, 1997, pp. 1589-1593
	A18	Hieshima et al., "Molecular cloning of a novel human CC chemokine liver and activation-regulated chemokine (LARC) expressed in liver. Chemotactic activity for lymphocytes and gene localization on chromosome 2", J. Biol. Chem., Vol. 272, No. 9, 1997, pp. 5846-5853
	A19	Irving et al., "Two inflammatory mediator cytokine genes are closely linked and variably amplified on chromosome 17q", <i>Nuc. Acid Res.</i> , Vol. 18, 1990, pp. 3261-3270
	A20	Keller, H., "Chemotaxis and its significance for leucocyte accumulation", Agents Actions, Vol. 2 1972, pp. 161-169
	A21	Kellerman S. et al., "The CC chemokine receptor-7 ligands 6Ckine and macrophage inflammatory protein-3beta are potent chemoattractants for in vitro- and in vivo-derived dendritic cells", J. Immunol, Vol. 162, 1999, pp. 3859
	A22	Lipes et al., "Identification, cloning, and characterization of an immune activation gene", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 85, 1998, pp. 9704
	A23	MacDonald et al., "Spliced mRNA encoding the murine cytomegalovirus chemokine homolog predicts a beta chemokine of novel structure", <i>J. Virol.</i> , Vol. 73, No. 5, 1999, pp. 3682-3691
	A24	Macphee et al., "Identification of a truncated form of the CC chemokine CK beta-8 demonstrating greatly enhanced biological activity", <i>J Immunol.</i> , Vol. 161 No. 11, 1998, pp. 6273-6279
	A25	Misicka, A. et al., "Synthesis and biological properties of beta-MePhe <sup>3</sup> analogues of deltorphin I and dermenkephalin: influence of biased χ <sup>1</sup> of the Phe <sup>3</sup> residues on peptide recognition for δ-opioid receptors", <i>J. Pept. Res.</i> , Vol. 50, 1997, pp. 48-54
	A26	Nagasawa et al., "Molecular cloning and structure of a pre-B-cell growth-stimulating factor", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 91, No. 6, 1994, pp. 2305-2309
	A27	Nicholas et al., "Kaposi's sarcoma-associated human herpesvirus-8 encodes homologues of macrophage inflammatory protein-1 and interleukin-6", <i>Nat. Med.</i> , Vol. 3, No. 3, 1997, pp. 287-292
	A28	Obaru et al., "A cDNA clone used to study mRNA inducible in human tonsillar lymphocytes by a tumor promoter", <i>J. Biochem</i> , Vol. 99, No.3, 1986, pp. 885-894
	A29	Orlofsky et al., "Novel expression pattern of a new member of the MIP family of cytokine-like genes", Cell Regulation, Vol. 2, 1991, pp. 403-412

EXAMINER	DATE CONSIDERED	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

Rev. Feb.-97 C:\My Documents\10709-14.1449.doc

OCT 2 8 2002

FORM PTO-1449		Page 3 of 4
True ato	SERIAL NO.	CASE NO.
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT	FILING DATE October 30, 2001	GROUP ART UNIT
(use several sheets if necessary)	APPLICANT(S): Schall et al.	A On

EXAMINER		
INITIAL		OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)
	A30	novel CC chemokine that is constitutively secreted in vivo", <i>Inflamm</i> , Vol. 45, No. 3, 1995, pp. 207-219
	A31	Proudfoot, et al., "Extension of recombinant human RANTES by the retention of the initiating methionine produces a potent antagonist", <i>J. Biol. Chem.</i> , Vol. 271, No. 5, 1996, pp. 2599-2603
	A32	Rothenberg et al., "Murine eotaxin: an eosinophil chemoattractant inducible in endothelial cells and in interlukin 4-induced tumor suppression", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 92, No. 19, 1995, pp. 8960-8964
·	A33	Saederup et al., "Cytomegalovirus-encoded beta chemokine promotes monocyte-associated viremia in the host", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 96, No. 19, 1999, pp. 10881-10886
	A34	Sarafi et al., "Murine monocyte chemoattractant protein (MCP)-5: a novel CC chemokine that is a structural and functional homologue of human MCP-1, <i>J. Exp. Med.</i> , Vol. 185, No. 1, 1997, pp. 99-109
	A35	Schall et al., "A human T cell-specific molecule is a member of a new gene family", J. Immunol., Vol. 141, 1988, pp. 1018
	A36	Schall et al., "Molecular cloning and expression of the murine RANTES cytokine: structural and functional conservation between mouse and man", <i>Eur. J. Immunol.</i> , Vol. 22, No. 6, 1992, pp. 1477-1481
	A37	Schaniel et al., "Activated Murine B Lymphocytes and Dendritic Cells Produce a Novel CC Chemokine which Acts Selectively on Activated T Cells", <i>J. Exp. Med.</i> , Vol. 188, No. 3, 1998, pp. 451-463
	A38	Schulz-Kappe et al., "HCC-1, a novel chemokine from human plasma", J. Exp. Med., Vol. 183, No. 1, 1996, pp. 295-299
	A39	Sherry et al., "Resolution of the two components of macrophage inflammatory protein 1, and cloning and characterization of on of those components, macrophage inflammatory protein 1 beta", <i>J. Exp. Med.</i> , Vol. 168, No. 6, 1988, pp. 2251-2259
	A40	Tashiro et al., "Signal sequence trap: a cloning strategy for secreted proteins and type I membrane proteins", <i>Science</i> , Vol. 261, No. 5121, 1993, pp. 600-603
	A41	Tekamp-Olson et al., "Cloning and characterization of cDNAs for murine macrophage inflammatory protein 2 and its human homologues", <i>J. Exp. Med.</i> , Vol. 172, No. 3, 1990, pp. 911-919
	A42	Thirion et al., "Mouse macrophage derived monocyte chemotactic protein-3: cDNA cloning and identification as MARC/FIC", <i>Biochem. Biophys. Res. Commun.</i> , Vol. 201, No. 2, 1994, pp. 493-499
	A43	Ugoccioni et al., "Monocyte chemotactic protein 4 (MCP-4), a novel structural and functional analogue of MCP-3 and eotaxin", <i>J. Exp. Med.</i> , Vol. 183, 1996, pp. 2379
	A44	Van Damme et al., "Production and identification of natural monocyte chemotactic protein from virally infected murine fibroblasts. Relationship with the product of the mouse competence (JE) gene", Eur. J. Biochem., Vol. 199, No. 1, 1999, pp. 223-229

EV ANDRES	
EXAMINER	DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

Rev. Feb.-97 C:\My Documents\10709-14.1449.doc

OCT 2 8 2002

FORM PTO 1110	OCT 2 S AUGU 65		Page 4 of 4
FORM PTO-1449	A LANGE	SERIAL NO. 10/001,221	CASE NO. 10709/14
APPLICANT'S INF	AND PUBLICATIONS FOR ORMATION DISCLOSURE ATEMENT	FILING DATE October 30, 2001	GROUP ART UNIT 1614
(use several sheets if nec	essary)	APPLICANT(S): Schall et al.	10 ×

EXAMINER		70
INITIAL		OTHER ART (healest) A the True
INTIAL	Λ <i>Δ</i> Ε	OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)
	A45	Van Damme et al., "Structural and functional identification of two humans, tumor-derived
	}	monocyte chemotactic proteins (MCP-2 and MCP-3) belonging to the chemokine family", J.
	A 4C	Exp. Wed., Vol. 176., No. 1, 1992, pp. 59-65
j	A46	Verdijk, R. et al., "Polyriboinosinic polyribocytidylic Acid (Poly(I:C)) induces stable maturation of
	A 4 = 7	Tunctionally active numan dendritic cells", J. Immunol. Vol. 1, 1999, pp. 57-61
	A47	Vicari et al., "TECK: a novel CC chemokine specifically expressed by thymic dendritic colleged
	4.10	potentially involved in a cell development, Immunity, Vol. 7, No. 2, 1997, np. 291-301
	A48	wang et al., "Molecular cloning and functional characterization of human MIP-1 delta, a now C
		C Chemokine related to mouse CCF-18 and C10", J. Clin. Immumol., Vol. 18, No. 3, 1998, np.
	A 10	214
	A49	Ward S. et al., "Chemokines and T lymphocytes: more than an attraction", <i>Immunity</i> , Vol 9,
	4.50	1996, pp. 1-11
	A50	Yoshida et al., "Molecular cloning of a novel human CC chemokine EBI1-ligand chemokine that
		is specific functional ligand for EBI1, CCR7", J. Biol. Chem., Vol. 272, No. 21, 1997, pp. 13803-
		13009
	A51	Youn et al., "Characterization of CKbeta8 and CKbeta8-1: two alternatively spliced forms of
		I human beta-chemokine, chemattractants for neutrophils, monocytes, and lymphocytes, and
	A 50	potent agonists at CC chemokine receptor 1", Blood, Vol. 91, No. 9, 1998, pp. 3118-3126
	A52	roun et al., Wolecular cloning of leukotactin-1; a novel human beta-chemokine a
		Chemoattractant for neutrophils, monocytes, and lymphocytes, and a potent agonist at CC
	A.50	Chemokine receptors 1 and 3", J. Immumol., Vol. 159, No. 11, 1997, pp. 5201-5205
	A53	Znang, Y, et al., "Synthesis, biological activity, and conformational analysis of pentidomimetic
		analogues of the Saccharomyces cerevisiae alpha-factor tridecapeptide". Biochemistry Vol.
		37, 1998, pp. 12465-12476

RECEIVED
OUI 2 8 2002
TECH CENTER 1600/2900

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.